



commercial entrance matting

 edgewood
matting

Edgewood strives to be uniquely better.

Edgewood’s brand promise is borne by the notion that even in situations when most things are equal, there is still opportunity to make a positive difference.

Install high-quality entrance matting and reduce pollutants like dirt and dust from being tracked into your building.

Commercial entrance matting is available in many styles, colours and construction materials for a multitude of uses and can suit any décor. Many of our mats are also customizable and we can inlay corporate logos to enhance branding.

Edgewood is the largest full service wholesaler of matting, athletics and flooring products in Canada. We specialize in the supply and installation of premium products coupled with excellent customer service.

We are a member of the Canada Green Building Council and can assist with projects that are seeking green certification. Many of our products are manufactured with recycled content taken from both post-industrial and post-consumer recycled material.



entrance systems

| | |
|---|----|
| Debris Trap™ Tile..... | 5 |
| Debris Trap™ Everest..... | 6 |
| Debris Trap™ Supreme..... | 7 |
| Debris Trap™ Extreme..... | 8 |
| Debris Trap™ Tundra..... | 9 |
| Debris Trap™ Roll..... | 10 |
| Debris Trap™ Brush..... | 10 |
| 3M™ Nomad™ Extreme Traffic Z-Web Unbacked Scraper Matting 9100..... | 11 |
| Base Grid Series GB-700..... | 12 |
| Base Tread Series GB-200..... | 13 |
| Base Tread Series GB-500..... | 14 |
| Base Mat Series MB-300..... | 15 |
| Base Mat Series MB-400..... | 16 |
| Base Mat-Tray Series MB-1000..... | 17 |
| Base Grille Series 800 Stainless Steel..... | 18 |

heavy traffic

| | |
|---|-------|
| 3M™ Nomad™ Heavy Traffic Carpet Matting 8850..... | 20 |
| Everest..... | 21 |
| Supreme Knob..... | 22-23 |
| Supreme Diagonal Tile..... | 23 |
| Supreme Knob Tile..... | 24 |
| 3M™ Nomad™ Heavy Traffic Scraper 8100 Unbacked/8150 Backed..... | 24 |
| Gritstop Fingermat™..... | 25 |
| Tundra..... | 25 |

medium traffic

| | |
|--|----|
| 3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050..... | 27 |
| 3M™ Nomad™ Medium Traffic Backed Z-Web Scraper Matting 6250..... | 27 |
| Chaparral Tile..... | 28 |
| Palliser..... | 29 |
| Rainier..... | 30 |
| Premium Knob..... | 31 |
| Premium Knob HD..... | 32 |
| Premium Rib..... | 33 |
| Proloop..... | 34 |
| Scraper Mat..... | 34 |


light traffic

| | |
|-------------------------------------|----|
| 3M™ Nomad™ Carpet Matting 5000..... | 36 |
| Stylepoint..... | 36 |
| Herringbone..... | 37 |
| Twin Rib..... | 37 |
| Poly-Tuft™..... | 38 |
| Micro-Tuft..... | 38 |

entrance systems

Choose an Edgewood entrance system and stop dirt, debris and contaminants from entering your building.

Effective for primary points of entry, these systems include a mat or series of mats that are customized for each entrance. Designed to complement the appearance of the entryway, entrance systems from Edgewood are developed with keen attention to detail, ensuring they perform as they should.




Debris Trap™ Tile



EASY TO INSTALL AND CUSTOMIZE, THIS IS A HIGHLY DURABLE, HIGH PERFORMANCE PRODUCT

- Superior water and soil containment.
- Dimensionally stable.
- Extremely durable.
- Easy to assemble and cost effective.
- Recessed/surface mount.
- Dirt and moisture fall below traffic level.
- Aluminum mat dividers and ramp available for large area coverage.



#22 BLACK




#25 GREY

| | |
|-----------------------|----------------------|
| construction | Vinyl grid |
| face style | Textured grid |
| edging | Available |
| thickness | 1/2 in. (12.5 mm.) |
| total weight | 1.18 kg. (2.60 lbs.) |
| warranty | 3 year |
| recycled content: 30% | |

| size | part code |
|---------------------------------|-----------|
| 11 5/8 in. x 17 5/8 in. | DTICC1218 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |
| CC = Colour number | |

Specifications subject to change without notice. See product info sheet for more details.



Debris Trap™ Everest



WIPER/SCRAPER MATTING INSERTS THAT EFFECTIVELY REMOVE DIRT AND MOISTURE


- Heavy duty matting.
- Can be surface mounted with edging or installed into recessed wells.
- Grid shape allows dirt and water to fall below walking surface to reduce the re-tracking of debris.
- Everest inserts are durable and clean footwear thoroughly.
- Appearance of high-end carpet.
- Designed for 1/2 in. recessed wells.



| | |
|-----------------------|--|
| construction | Vinyl grid tile with Everest inserts |
| face style | Omni pattern |
| edging | Available |
| thickness | 11/16 in. (17.5 mm.) Fits 1/2 in. recess |
| total weight | 1.10 kg. (2.42 lbs.) |
| warranty | 2 year |
| recycled content: 25% | |

| size | part code |
|---------------------------------------|-----------|
| 11 5/8 in. x 17 5/8 in. | DTECC1218 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |
| 1 ft. x 1.5 ft. Rip n' Replace system | DCECC1218 |
| CC = Colour number | |

Specifications subject to change without notice. See product info sheet for more details.




Debris Trap™ Supreme



ENJOY OUTSTANDING WATER AND SOIL CONTAINMENT OF RECESSED MATTING COUPLED WITH SUPREME KNOB INSERTS


- Allows dirt and moisture to fall below traffic level until it can be removed.
- Protection from slips and falls.
- Match inserts to your interior needs.
- Protection against costly dirt clean-up and moisture.
- Recessed/surface mount.
- Dividers available.
- Designed for 1/2 in. recessed wells.



| | |
|-----------------------|---|
| construction | Vinyl grid tile with Supreme Knob inserts |
| face style | Berber (hobnail) |
| edging | Available |
| thickness | 11/16 in. (17.5 mm.) Fits 1/2 in. recess |
| total weight | 1.12 kg. (2.46 lbs.) |
| warranty | 2 year |
| recycled content: 25% | |

| size | part code |
|---|-----------|
| 11 5/8 in. x 11 5/8 in. | DTSCC1218 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |
| 1 ft. x 1.5 ft. Rip n' Replace system | DCECC1218 |
| (Custom sizes available) CC = Colour number | |

Specifications subject to change without notice. See product info sheet for more details.



Debris Trap™ Extreme



INDOOR HEAVY TRAFFIC SCRAPER/WIPER

- Perfect for vestibules, recessed wells and heavy traffic entrances.
- Effectively remove dirt and moisture from traffic.
- Can be surface mounted with edging or installed into recessed wells.
- Grid shape allows dirt and water to fall below walking surface to reduce the re-tracking of debris.
- Designed for 1/2 in. recessed wells.



* Colours available while supplies last.


| | |
|---------------------|--|
| construction | Vinyl grid tile with 3M-8850 inserts |
| face style | Level loop |
| edging | Available |
| thickness | 11/16 in. (17.5 mm.) Fits 1/2 in. recess |
| total weight | 1.12 kg. (2.46 lbs.) |
| warranty | 2 year |

recycled content: 25%

| size | part code |
|---------------------------------------|-----------|
| 11 5/8 in. x 17 5/8 in. | DXTCC1218 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |
| 1 ft. x 1.5 ft. Rip n' Replace system | DCXCC1218 |

CC = Colour number

Specifications subject to change without notice. See product info sheet for more details.




Debris Trap™ Tundra



WIPER/SCRAPER MATTING INSERTS THAT EFFECTIVELY REMOVE DIRT AND MOISTURE

- Can be surface mounted with edging or installed into recessed wells.
- Dirt and water falls below walking surface to reduce the re-tracking of debris.
- Designed for 1/2 in. recessed wells.



| | |
|---------------------|--|
| construction | Vinyl grid tile with Tundra inserts |
| face style | Tufted grass |
| edging | Available |
| thickness | 11/16 in. (17.5 mm.) Fits 1/2 in. recess |
| total weight | 1.06 kg. (2.32 lbs.) |
| warranty | 2 year |

recycled content: 26%

| size | part code |
|---------------------------------|-----------|
| 11 5/8 in. x 17 5/8 in. | DTTCC1218 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |

CC = Colour number


Specifications subject to change without notice. See product info sheet for more details.

Debris Trap™ Roll



AVAILABLE IN A ROLL, THIS HIGH PERFORMANCE PRODUCT IS A GREAT CHOICE FOR RECESSED WELL APPLICATIONS

- Superior water and soil containment.
- Protection from slips and falls.
- Protection against costly dirt and moisture clean-up.
- Allows dirt and moisture to fall below traffic level.
- Recessed wells or as an indoor/outdoor walk-off mat.
- Dividers available.



| | |
|-----------------------|-------------------------------------|
| construction | Vinyl grid |
| face style | Textured grid |
| edging | Available |
| thickness | 1/2 in. (12.5 mm.) |
| total weight | 8.10 kg./sq. m. (1.66 lbs./sq. ft.) |
| warranty | 3 year |
| recycled content: 50% | |

| size | part code |
|--|-----------|
| 2 ft. (0.6 m.) Roll*/cut | DTRCC0200 |
| 3 ft. (0.9 m.) Roll*/cut | DTRCC0300 |
| 4 ft. (1.2 m.) Roll*/cut | DTRCC0400 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |
| *Roll lengths 33 ft. (10 m.) +/-, CC = Colour number | |

measurements for recessed well mats

ESSENTIAL INFORMATION FOR QUOTES:

1. The depth, width and length of the well. Also provide the door location in relation to the width or length.
2. Type of upper surface finish required (Examples: standard carpet slats, serrated aluminum, grit-top vinyl slats).
3. Colour of insert.
4. Type of finish on the aluminum (Examples: mill finish, clear anodized, bronze).
5. Additional features required:
 - outside framing
 - pan and/or drain
 - spacers



additional tips



- 1** For slat style recessed well matting, the traffic flow is perpendicular to the direction of the slats.
- 2** Measure corner to corner to determine how square the well is.
- 3** Custom designed recessed well mats require special drawings in addition to installation considerations.

Debris Trap™ Brush



INDOOR HEAVY TRAFFIC SCRAPER

- Perfect for vestibules, recessed wells, heavy traffic entrances.
- Insert provides the ultimate in heavy debris and snow removal.
- Aggressive brushes scrape footwear while the tile allows moisture and debris to fall below, keeping floors clean for longer.
- Designed for 1/2 in. recessed wells.




| | |
|-----------------------|--------------------------------------|
| construction | Vinyl grid tile with brush inserts |
| face style | Scraper brush |
| edging | Available |
| thickness | 3/4 in. (19 mm.) Fits 1/2 in. recess |
| total weight | 1.55 kg. (3.41 lbs.) |
| warranty | 2 year |
| recycled content: 30% | |

| size | part code |
|---------------------------------|-----------|
| 11 5/8 in. x 17 5/8 in. | DTB221218 |
| accessories available | |
| 3/4 in. Aluminum mat divider | DIV001212 |
| 2 3/8 in. Aluminum ramp | RMP000312 |
| 4 1/4 in. Vinyl heavy duty edge | SRV220412 |

3M™ Nomad™ Extreme Traffic Z-Web Unbacked Scraper Matting 9100

RECESSED WELLS OR AS AN INDOOR/OUTDOOR WALK-OFF MAT.

- Peaked edge design provides a skid-resistant surface while scraping dirt and debris from shoes.
- Allows dirt and moisture to fall through the mat, preventing the debris from being tracked into the building and making cleaning easier.
- Provides excellent support for light wheeled traffic such as shopping carts and wheelchairs.
- Borders available as an add-on.



| | |
|---------------------|-------------------------------------|
| construction | (PVC) Vinyl |
| face style | Z-web |
| edging | Available |
| thickness | 7/16 in. (11 mm.) |
| total weight | 8.14 kg./sq. m. (1.67 lbs./sq. ft.) |
| warranty | 3 year |

| size | part code |
|---|---------------|
| 2 ft. (0.6 m.) Roll*/cut | 3M910CC0200** |
| 3 ft. (0.9 m.) Roll*/cut | 3M910CC0300 |
| *Roll length 50 ft. (15.2 m.) +/- | |
| **2 ft. wide roll only available in grey (Custom sizes available) | |
| CC = Colour number | |

Base Grid Series GB-700



Ideal for heavy traffic areas
Shown in carpet




1-3/4 in. I-beam base grid


FOR HEAVY TRAFFIC AREAS

- **Our strongest entrance system.**
- Strong 1-3/4 in. deep I-beam cross section.
- Helps keep buildings clean.
- Ideal for heavy foot and cart traffic.
- Use indoors and out.
- Versatile in most recessed well applications.
- An aluminum cross member gridlock keeps the grid in place while vinyl footers cushion foot and cart traffic.

The most rugged & durable entrance protection system in our product line.



Recessed application includes optional 2" x 2" x 1/4" aluminum frame.



Specifications subject to change without notice. See product info sheet for more details.

Base Tread Series GB-200




Weather resistant vinyl hinge roll-up tread
Shown in poly-brush





1/2 in. Low-profile base tread

PROVIDES A BARRIER AGAINST MUD, DIRT AND SOILAGE. FOR MEDIUM TRAFFIC AREAS

- Smooth surface for less wheel bump.
- Use indoors and out.
- Versatile in most recessed well applications.
- Rolling load of up to 750 lbs./wheel.
- The rugged aluminum framework assures dimensional stability and longevity, while the vinyl hinge allows the tread to be rolled up and moved for under-tread cleaning.
- 25% more surface wiping Area



Recessed application requires use of an aluminum frame as illustrated above. The frame helps create a clean installation with well defined edges and corners. A solid 1/8 in. thick vinyl "T" profile footer runs the full width and length of each section and provides a low-impact cushion for all traffic.



| | |
|-------------------------------|--|
| LEED | Possible LEED-NC credits; MR credit 4 (1-2 points); MR credit 5 (1-2 points); IEQ credit 5 (1 point) |
| construction thickness | 6063-T6 Aluminum with various insert options 1/2 in. (12.7 mm.) |
| additional specs | Weather resistant vinyl hinges |
| warranty | 2 year |
| recycled content: 49% | |

Specifications subject to change without notice. See product info sheet for more details.

| | |
|-------------------------------|---|
| construction thickness | 6063-T52 aluminum with various insert options Grid only; 1-3/4 in. (44.4 mm.) Grid and frame (level base); 2 in. (50.8 mm.) |
| additional specs | Aluminum gridlock cross member, vinyl cushions |
| warranty | 2 year |
| recycled content: 46% | |

Base Tread Series GB-500



Heavy duty vinyl hinge roll-up tread
Shown in serrated aluminum




3/4 in. mid-profile base tread


FOR MEDIUM TO HEAVY TRAFFIC AREAS

- **Strongest tread**
- 25% more surface wiping area.
- Smooth surface for less wheel bump.
- Use indoors and out.
- Versatile in most recessed well applications.
- Up to 1,000 lbs/wheel.
- 3/4 in. tread supports heavy foot and cart traffic.
- 3/4 in. aluminum framework assures dimensional stability and longevity.
- A vinyl hinge allows the tread to be rolled up and moved for under-tread cleaning.
- A solid 1/8 in. thick vinyl "T" profile footer runs the full width and length of each section and provides a low-impact cushion for all traffic.

The most rugged & durable tread.



Recessed application requires use of aluminum frame illustrated above. The frame helps create a clean installation with well defined edges and corners.



Specifications subject to change without notice. See product info sheet for more details.

Base Mat Series MB-300



Aluminum hinge
Shown in vinyl abrasive





Weather resistant roll-up mat

3/8 in. low-profile base mat

FOR LIGHT TO MEDIUM TRAFFIC AREAS

- Dimensionally stable.
- Easy to roll-up for maintenance.
- Surface and recessed applications.
- Ideal for exterior and interior entryways, foyers, vestibules, etc.
- An economical barrier for mud, dirt and soil deposited by foot traffic.
- The mats feature aluminum hinged framework with cushioned supports at the bottom of each segment.



Base Mat system (see above) shows

- (1) tapered 2" x 3/8" vinyl ramp-spacer for surface applications
- (2) aluminum hinge mat 2" on centres
- (3) 2" x 3/8" spacer for recess applications
- (4) 1" x 7/16" aluminum frame for recess applications

Both vinyl spacers are available with and without under-mat tongues (illustrated on tapered ramp-spacer 1). A 1-3/8" x 3/8" aluminum ramp is available in place of vinyl ramp-spacer.



| | |
|-------------------------------|--|
| LEED | Possible LEED-NC credits; MR credit 4 (1-2 points); MR credit 5 (1-2 points); IEQ credit 5 (1 point) |
| construction thickness | 6063-T6 Aluminum with various insert options 3/4 in. (19 mm.) |
| additional specs | Weather resistant vinyl hinges |
| warranty | 2 year |
| recycled content: 49% | |

| | |
|-------------------------------|--|
| LEED | Possible LEED-NC credits; MR credit 4 (1-2 points); MR credit 5 (1-2 points); IEQ credit 5 (1 point) |
| construction thickness | 6063-T52 Aluminum with various insert options Mat Only; 3/8 in. (9.5 mm.) Grid and frame (level base); 7/16 in. (11 mm.) |
| additional specs | Aluminum hinges |
| warranty | 2 year |
| recycled content: 49% | |



Specifications subject to change without notice. See product info sheet for more details.

Base Mat Series MB-400



FOR LIGHT TO MEDIUM TRAFFIC AREAS


- Dimensionally stable, quiet vinyl hinge for roll-up ease during maintenance.
- Surface and recessed applications.
- Ideal for exterior and interior entryways, foyers and vestibules.
- An economical barrier for mud, dirt and soil deposited by foot traffic.
- The mats feature vinyl hinged framework with cushioned supports at the bottom of each segment.



Base Mat system (see above) shows

- (1) tapered 2" x 3/8" vinyl ramp-spacer for surface applications
- (2) vinyl hinge mat 2" on centres
- (3) 2" x 3/8" spacer for recess applications and
- (4) 1" x 7/16" aluminum frame for recess applications

Both vinyl spacers are available with and without under-mat tongues (illustrated on tapered ramp-spacer 1). A 1-3/8" x 3/8" aluminum ramp is available in place of vinyl ramp-spacer.



| | |
|-------------------------|--|
| LEED | Possible LEED-NC credits; MR credit 4 (1-2 points); MR credit 5 (1-2 points); IEQ credit 5 (1 point) |
| construction | 6063-T52 Aluminum with various insert options |
| thickness | Mat Only; 3/8 in. (9.5 mm.) Grid and frame (level base); 7/16 in. (11 mm.) |
| additional specs | Weather resistant vinyl hinges |
| warranty | 2 year |
| recycled content: 49% | |


Specifications subject to change without notice. See product info sheet for more details.



Base Mat Series MB-1000

BASE MAT-TRAY HELPS KEEP SAND, MUD AND DIRT OUT OF COMMERCIAL BUILDINGS AND HOMES. FOR LIGHT TO MEDIUM TRAFFIC.


- Concentrates dirt and other foot traffic debris in the tray.
- Keeps soilage out of homes and buildings.
- Makes clean-up simple.
- Easy surface application.
- Attractive appearance compliments any entrance.
- Residential and commercial applications.
- Tray perimeter is a 2 in. ramp – helps maintain sure footing (no vertical edge).
- Tray has flexible vinyl edging with 100% recycled rubber bottom.




Base Mat-Tray is attractive – built to last.



Base Mat-Tray collects tracked-in sand, dirt, etc.



Mat rolls up, leaves debris in tray.




Rubber tray concentrates debris for easy disposal.

| | |
|---------------------|--|
| construction | Up to 60% recycled vinyl beveled edge plane; 100% recycled rubber tray |
| thickness | 1/8 in Bottom, 3/8 in. Tray |
| warranty | 2 year |

| | |
|-------------|---|
| size | 2 ft. (0.6 m.) x 3 ft. (0.9 m.) 3 ft. (0.9 m.) x 4 ft. (1.2 m.) 4 ft. (1.2 m.) x 6 ft. (1.8 m.) (Custom sizes available) |
|-------------|---|

Specifications subject to change without notice. See product info sheet for more details.



Base Grille Series 800 Stainless Steel




MAKE A STUNNING FIRST IMPRESSION IN BUILDING ENTRYWAYS WITH THE LOOK AND FEEL OF STAINLESS STEEL

- Long-lasting entrance system.
- Supports foot and cart traffic.
- Durable welded construction.
- Built to last, Base Grilles maintain a “like new” look through all four seasons and years of service.
- Surface beams and cross struts are robotically welded at each intersection to assure longevity.



9/8 in. Grille (SS-898)
Frame: A=1-1/4 in. B=1-1/4 in.



L Series frame available for Recessed Application



3/8 in. Grille (SS- 838)
Frame: A=1/2 in. B=3/4 in.



5/8 in. Grille (SS-858)
Frame: A=3/4 in. B=3/4 in.

| | |
|-----------------------|---|
| LEED | MR credits 4.1, 4.2; EQ credit 5 |
| construction | Stainless steel with support bars spaced 1" apart for maximum load capacity. Surface wires .093 in. (2.4 mm.) by 0.156 in. (4 mm.) with 0.70 in. (1.8 mm.) support bars spaced 1 in. (24 mm.) o.c. Spacing between rails shall be 0.140 in. (3.6 mm.) |
| thickness | 3/8 in., 5/8 in., 1 1/8 in. |
| tread finish | Satin, stainless steel |
| warranty | 5 year |
| recycled content: 90% | |

BASE STAINLESS STEEL GRILLES ENHANCE A BUILDINGS APPEARANCE

Base Grilles help keep buildings clean, reduce floor maintenance costs and provide an aesthetic touch to any building. Dirt and soilage drop through the voids and concentrate in the grille recess. Custodians simply lift a grille section and vacuum up dirt and debris. Grilles have lockdowns – removal and replacement are easy.

Specifications subject to change without notice. See product info sheet for more details.

heavy traffic

Highly durable, these mats are aggressive at removing debris.

Designed for high traffic entryways that see between 400,000 – 1 million users per year, these matting solutions are recommended for hospitals, shopping centres, grocery stores, large schools and office towers.





3M™ Nomad™ Heavy Traffic Carpet Matting 8850



HEAVY-TRAFFIC INDOOR ENTRYWAY CARPET MATTING

- Combination scraper and carpet matting with crush-resistant polypropylene fibres to scrape, remove and hide loose dirt. Small nylon fibres wick away water.
- Random pattern provides an attractive look and allows sand, salt and dirt to blend in until it can be removed.
- Resist fading and staining.
- Will not stain floor by preventing dirt and moisture from falling through the mat onto the floor underneath.
- Low profile allows foot, cart and wheelchair traffic to move easily over the mat.
- Excellent product to create logo inlays and designs promoting corporate facility branding.



| size | part code |
|--------------------------|-------------|
| 3 ft. (0.9 m.) Roll*/cut | 3M885CC0300 |
| 4 ft. (1.2 m.) Roll*/cut | 3M885CC0400 |
| 6 ft. (1.8 m.) Roll*/cut | 3M885CC0600 |

*Roll length 60 ft. (18.2 m.) +/- (Custom sizes available) CC = Colour number

** Colours available while supplies last.

Specifications subject to change without notice. See product info sheet for more details.



Everest



HEAVY DUTY CARPET MATTING

- Appearance of high-end carpet.
- Can be installed indoors as well as outdoors.
- Spike and skate resistant.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salt.
- Available in rolls or custom cuts.
- Customize your entrance with your logo or tagline inlayed into your mat.

Passes C.G.S.B. Standards for Flammability (Pill Test)
Meets Flammability Standard DOC-FF-1-70 (Pill Test)

| | |
|----------------------|---|
| construction | Needlepunch loop pile |
| face style | Omni punch patterned needle felt |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| face weight | 1,700 g./sq. m. (50 oz./sq. yd.) |
| backing | EM natural-synthetic composite rubber |
| edging | Available |
| thickness | 1/2 in. (12.5 mm.) |
| total weight | 2.82 kg./sq. yd. (0.58 lbs./sq. ft.) |
| warranty | 3 year |

recycled content: 5%



| size | part code |
|--------------------------|-----------|
| 3.25 ft. (1 m.) Roll/cut | EVRCC1000 |
| 6.5 ft. (2 m.) Roll/cut | EVRCC2000 |
| 13 ft. (4 m.) Roll/cut | EVRCC4000 |

*Roll lengths 69 ft. (21 m.) +/- (Custom sizes & rolls available) CC = Colour number



Supreme Knob™



THE ULTIMATE PERFORMANCE WITH THE LOOK OF QUIET SOPHISTICATION

- Can be installed indoors as well as outdoors.
- Spike and skate resistant.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salts.
- Permanently anti-static and has enhanced UV stability.
- Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 7 litres or 1.85 gallons of water per sq. yd.
- Edging, logo, seaming and bordering programs available.

Passes C.G.S.B. Standards for Flammability (Pill Test)
Meets Flammability Standard DOC-FF-1-70 (Pill Test)

| | |
|----------------------|---|
| construction | Needlepunch loop pile |
| face style | Berber (hobnail) |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| face weight | 1,790 g./sq. m. (53 oz./sq. yd.) |
| backing | EM natural-synthetic composite rubber |
| edging | Available |
| thickness | 7/16 in. (11 mm.) |
| total weight | 2.91 kg./sq. m. (0.60 lbs./sq. ft.) |
| warranty | 3 year |
| recycled content: 5% | |

STANDARD COLOURS




| size | part code |
|---|-----------|
| 3.25 ft. (1 m.) Roll*/cut | SKNCC1000 |
| 6.5 ft. (2 m.) Roll*/cut | SKNCC2000 |
| 13 ft. (4 m.) Roll*/cut | SKNCC4000 |
| *Roll lengths 75.5 ft. (23 m.) +/- (Custom sizes available) CC = Colour number | |

Supreme Knob™ - continued

Placing your logo into your matting increases brand visibility and provides valuable brand recognition for your company. We can cut and place your company's logo onto any mat in any of the colours shown here.

LOGO COLOURS



FINE LINE COLOURS



Supreme Diagonal Tile

EXCELLENT CHOICE AS A MODULAR WIPER/SCRAPER MAT FOR HEAVY-TRAFFIC AREAS

- Spike and skate resistant.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salts.
- Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 7 litres or 1.85 gallons of water per sq. yd.
- Dimensionality stable backing.



| | |
|----------------------|---|
| construction | Needlepunch loop pile |
| face style | Berber (hobnail) |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| backing | Bitumen |
| thickness | 9/16 in. (14.5 mm.) |
| total weight | 5.05 kg./sq. m. (1.04 lbs./sq. ft.) |
| warranty | 3 year |




| size | part code |
|---------------------------------------|-----------|
| 0.5 m. x 0.5 m. | SDTCC5050 |
| Sold in full cases only (12 per case) | |
| CC = Colour number | |

Supreme Knob Tile

EXCELLENT CHOICE AS A MODULAR WIPER/SCRAPER MAT FOR HEAVY-TRAFFIC AREAS

- Spike and skate resistant.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salts.
- Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 7 litres or 1.85 gallons of water per sq. yd.
- Dimensionality stable backing.

| | |
|----------------------|---|
| construction | Needlepunch loop pile |
| face style | Berber (hobnail) |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| backing | Bitumen |
| thickness | 9/16 in. (14.5 mm.) |
| total weight | 5.05 kg./sq. m. (1.04 lbs./sq. ft.) |
| warranty | 3 year |




| size | part code |
|--|-----------|
| 0.5 m. x 0.5 m. | SNTCC5050 |
| CC = Colour number Sold in full cases only (12 per case) | |

Gritstop Fingermat™



EFFECTIVE IN HEAVY SOIL AND SNOW ENVIRONMENTS

- Beveled edges.
- Medium to heavy traffic applications.
- Good UV and ozone resistance.
- Retains flexibility – even in low temperatures.
- Excellent outdoor or vestibule matting.
- Borders available.



| | |
|-----------------------|-------------------------------------|
| construction | Rubber |
| face style | Scraper fingers |
| thickness | 9/16 in. (14.5 mm.) |
| total weight | 9.52 kg./sq. m. (1.95 lbs./sq. ft.) |
| warranty | 5 year |
| recycled content: 30% | |

| size | part code |
|--------------------------|-----------|
| 24 in. x 32 in. | GFM222432 |
| 32 in. x 39 in. | GFM223239 |
| 36 in. x 60 in. | GFM223660 |
| 36 in. x 72 in. | GFM223672 |
| (Custom sizes available) | |

3M™ Nomad™ Heavy Traffic Scraper 8100 Unbacked/ 8150 Backed

HEAVY-TRAFFIC SCRAPER MATTING

- Vinyl loops scrape dirt and moisture from shoes and trap them in the mat so it's not tracked into the building.
- Grease and oil resistant.
- Unique finish in a variety of popular colours.
- Entry mat outside/inside entrances or areas exposed to heavy, oily soils.
- Borders available.



| size | part code |
|--|-----------------------------|
| 3 ft. (0.9 m.) Roll*/cut | 3M810CC0300/ 3M815CC0300 |
| 4 ft. (1.2 m.) Roll*/cut | 3M810CC0400/ 3M815CC0400 |
| *Roll length 100 ft. (30.5 m.) +/- in 8100 unbacked *Roll length 270 ft. (82.3 m.) +/- in 8150 backed **Only available in 8100 unbacked (Custom sizes available) CC = Colour number | |

| | |
|---------------------|---|
| construction | Vinyl loop |
| face style | Vinyl loop |
| thickness | 8100: 11/16 in. (17.5 mm.) 8150: 9/16 in. (14.5 mm.) |
| total weight | 8100: 4.4 kg./sq. m. (0.9 lbs./sq. ft.) 8150: 4.1 kg./sq. m. (0.85 lbs./sq. ft.) |
| warranty | 2 year |

Tundra



AGGRESSIVE EXTERIOR OR VESTIBULE SCRAPER MATTING STOPS DEBRIS BEFORE IT ENTERS THE BUILDING

- Easy to clean and maintain as it requires no drying time.
- Works in harsh environments and heavy traffic applications.
- Perfect for industrial, commercial and institutional buildings.
- Dense tufted design minimizes resistance of wheeled traffic.



| | |
|---------------------|-------------------------------------|
| construction | Tufted cut pile |
| face style | Tufted grass |
| edging | Available |
| thickness | 1/2 in. (12.5 mm.) |
| total weight | 2.32 kg./sq. m. (0.48 lbs./sq. ft.) |
| warranty | 1 year |

| size | part code |
|--|-----------|
| 3.25 ft. (1 m.) Roll*/cut | TRFCC1000 |
| 6.5 ft. (2 m.) Roll*/cut | TRFCC2000 |
| *Roll lengths 65.5 ft. (20 m.) +/-, CC = Colour number | |

medium traffic

Excellent at removing dirt from shoes, these mats are designed for entryways that see between 100,000 – 400,000 users per year.


Medium traffic mats are recommended for rural hospitals, health clinics, boutique shopping centres, hotels, and small office buildings.

3M™ NOMAD™ Medium Traffic Backed Scraper Matting 6050

ENTRY MAT WHERE DIRT AND RE-TRACKING OF DIRT IS A PROBLEM

- Vinyl loops scrape dirt and moisture off shoes, allowing it to fall into the mat and not be tracked into the building.
- Performs even in extreme temperatures from -23°C (-10°F) to 65°C (150°F).
- Will not fade when exposed to sunlight and doesn't absorb water.
- Borders available.

| | |
|---------------------|-------------------------------------|
| construction | Vinyl loop |
| face style | Vinyl loop |
| backing | Vinyl (PVC foam) |
| thickness | 7/16 in. (11 mm.) |
| total weight | 2.28 kg./sq. m. (0.47 lbs./sq. ft.) |
| warranty | 1 year |




| size | part code |
|---|-------------|
| 3 ft. (0.9 m.) Roll*/cut | 3M605CC0300 |
| 4 ft. (1.2 m.) Roll*/cut | 3M605CC0400 |
| *Roll Length 82 ft. (24.9 m.) +/- (Custom sizes available) CC = Colour number | |

3M™ Nomad™ Medium Traffic Backed Z-Web Scraper Matting 6250

DURABLE MEDIUM-TRAFFIC SCRAPER MATTING

- Provides a skid-resistant surface while scraping dirt and debris from shoes. The design also allows the mat to trap moisture more effectively.
- Will not stain the floor by preventing dirt and moisture from falling through.
- Interior entryway mat or mat to catch and contain spills.
- Not recommended for use in kitchens.
- Borders available.

| | |
|---------------------|-------------------------------------|
| construction | Vinyl Z-web |
| face style | Z-web |
| backing | Vinyl (PVC) |
| thickness | 3/16 in. (5 mm) |
| total weight | 4.20 kg./sq. m. (0.86 lbs./sq. ft.) |
| warranty | 1 year |



| size | part code |
|--|-------------|
| 3 ft. (0.9 m.) Roll*/cut | 3M625250300 |
| 4 ft. (1.2 m.) Roll*/cut | 3M625250400 |
| *Roll length 50 ft. (15.3 m.) +/- (Custom sizes available) | |

Specifications subject to change without notice. See product info sheet for more details.




Chaparral Tile

DURABLE MATTING FOR LOBBIES, VESTIBULES, HALLWAYS AND MEDIUM TRAFFIC ENTRYWAYS.

- Medium traffic wiper/scrapper matting.
- Excellent slip-resistant surface.
- Withstands commercial traffic.
- Blended colours complement almost any décor.




| | |
|--------------------------|-------------------------------------|
| face construction | Tufted |
| face style | Level cut pile |
| face material | Polyamide (PA6) |
| face weight | 830 g./sq. m. (24 oz./sq. yd.) |
| backing | Bitumen |
| edging | Available |
| thickness | 5/16 in. (8.0 mm.) |
| total weight | 3.91 kg./sq. m. (0.80 lbs./sq. ft.) |
| warranty | 1 year |



| size | part code |
|-------------|--------------------|
| 0.5m x 0.5m | CPLCC5050 |
| | CC = Colour number |

Specifications subject to change without notice. See product info sheet for more details.



Palliser

MEDIUM TRAFFIC MATTING FOR LOBBIES, HALLWAYS, ELEVATORS AND ENTRANCES.

- Appearance of carpet.
- Wear-resistant and slip-resistant.
- Easy to clean.
- Effective multi-directional cleaning of footwear.
- For use with casters chairs or on medium traffic commercial stairs.
- Available in rolls or custom cuts.



| | |
|--------------------------|-------------------------------------|
| face construction | Tufted |
| face style | Level cut pile |
| face material | Polyamide (PA6) |
| face weight | 980 g./sq. m. (29 oz./sq. yd.) |
| backing | Vinyl (PVC) |
| edging | Available |
| thickness | 5/16 in. (8.0 mm.) |
| total weight | 3.56 kg./sq. m. (0.73 lbs./sq. ft.) |
| warranty | 1 year |



| size | part code |
|--|-----------|
| 3.25 ft. (1 m.) Roll/cut | PLRCC1000 |
| 6.5 ft. (2 m.) Roll/cut | PLRCC2000 |
| *Roll lengths 82 ft. (25 m.) +/- (Custom sizes & rolls available) CC = Colour number | |

Specifications subject to change without notice. See product info sheet for more details.



Rainier




MEDIUM TRAFFIC, HEAVY-DUTY NEEDLEPUNCH MATTING FOR VESTIBULES AND LOBBIES.

- Appearance of high-end carpet.
- Mold and mildew resistant.
- Permanently anti-static with enhanced UV stability.
- Holds approximately 5.5 litres or 1.45 gallons of water per square yard.
- Can be installed indoors or outdoors.
- Available in rolls or custom cuts.

**Passes C.G.S.B. Standards for Flammability (Pill Test)
Meets Flammability Standard DOC-FF-1-70 (Pill Test)**

| | |
|----------------------|---|
| construction | Omni punch patterned needle felt |
| face style | Omni pattern |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| face weight | 1150 g./sq. m. (34 oz./sq. yd.) |
| backing | EM natural-synthetic composite rubber |
| edging | Available |
| thickness | 3/8 in. (9.5 mm.) |
| total weight | 2.16 kg./sq. m. (0.44 lbs./sq. ft.) |
| warranty | 3 year |
| recycled content: 5% | |



| size | part code |
|--|-----------|
| 3.25 ft. (1 m.) Roll/cut | RNRCC1000 |
| 6.5 ft. (2 m.) Roll/cut | RNRCC2000 |
| 13 ft. (4 m.) Roll/cut | RNRCC4000 |
| *Roll lengths 82 ft. (25 m.) +/- (Custom sizes & rolls available) CC = Colour number | |



Premium Knob™




SUPERIOR DESIGN PROVIDES MULTIDIRECTIONAL PROTECTION. IDEAL FOR THE DEMANDS OF MEDIUM TO HIGH TRAFFIC AREAS

- Can be installed indoors as well as outdoors.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salt.
- Permanently anti-static and has enhanced UV stability.
- Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 5.5 litres or 1.45 gallons of water per sq. yd.
- Edging and seaming programs available.

**Passes C.G.S.B. Standards for Flammability (Pill Test)
Meets Flammability Standard DOC-FF-1-70 (Pill Test)**

| | |
|----------------------|---|
| construction | Needlepunch |
| face style | Berber (hobnail) |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| face weight | 1150 g./sq. m. (34 oz./sq. yd.) |
| backing | EM natural-synthetic composite rubber |
| edging | Available |
| thickness | 3/8 in. (9.5 mm.) |
| total weight | 2.16 kg./sq. m. (0.44 lbs./sq. ft.) |
| warranty | 3 year |
| recycled content: 5% | |



| size | part code |
|---|-----------|
| 3.25 ft. (1 m.) Roll*/cut | PKNCC1000 |
| 6.5 ft. (2 m.) Roll*/cut | PKNCC2000 |
| 13 ft. (4 m.) Roll*/cut | PKNCC4000 |
| *Roll length 69 ft. (21 m.) +/- (Custom sizes available) CC = Colour number | |



Premium Knob HD



HEAVY DUTY WIPER/SCRAPER MATTING

- For indoor applications.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salt.
- Strong PVC backing makes this a good choice where traffic demands extra durability in a matting product.
- Permanently antistatic and has enhanced UV stability.
- Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 5.5 litres or 1.45 gallons of water per sq. yd.
- Medium to heavy duty traffic applications.



| | |
|---------------------|-------------------------------------|
| construction | Needlepunch |
| face style | Berber (hobnail) |
| face weight | 1150 g./sq. m. (34 oz./sq. yd.) |
| backing | Vinyl (PVC) |
| edging | Available |
| thickness | 3/8 in. (9.5 mm.) |
| total weight | 3.60 kg./sq. m. (0.74 lbs./sq. ft.) |
| warranty | 3 year |

recycled content: 5%



| size | part code |
|---------------------------|-----------|
| 3.25 ft. (1 m.) Roll*/cut | PKNCC1000 |
| 6.5 ft. (2 m.) Roll*/cut | PKNCC2000 |

*Roll length 82 ft. (25 m.) +/-
(Custom sizes available) CC = Colour number

Specifications subject to change without notice. See product info sheet for more details.



Premium Rib™



DESIGNED TO PROVIDE MULTIDIRECTIONAL PROTECTION

- Use where traffic demands increased debris holding capacity.
- Can be installed indoors as well as outdoors.
- Impervious to many chemicals such as caustic soda, chlorine, petroleum products, ice melters and salt.
- Permanently antistatic and has enhanced UV stability.
- Mold and mildew resistant and can be cleaned by vacuuming, hosing or hot water extraction.
- Holds approximately 5.5 litres or 1.45 gallons of water per sq. yd.
- Seaming programs available.

Passes C.G.S.B. Standards for Flammability (Pill Test)
Meets Flammability Standard DOC-FF-1-70 (Pill Test)

| | |
|----------------------|---|
| construction | Needlepunch |
| face style | Linear rib |
| face material | Solution dyed UV stabilized ASOTA® polypropylene fibres |
| face weight | 1150 g./sq. m. (34 oz./sq. yd.) |
| backing | EM natural-synthetic composite rubber, |
| edging | Available |
| thickness | 7/16 in. (11 mm.) |
| total weight | 2.16 kg./sq. m. (0.44 lbs./sq. ft.) |
| warranty | 3 year |

recycled content: 5%



| size | part code |
|--------------------------|-----------|
| 3 ft. (1 m.) Roll*/cut | PRI201000 |
| 6.5 ft. (2 m.) Roll*/cut | PRI202000 |
| 13 ft. (4 m.) Roll*/cut | PRI204000 |

*Roll length 69 ft. (21 m.) +/-
(Custom sizes available) Available in Charcoal (20) only

Specifications subject to change without notice. See product info sheet for more details.

Proloop

A QUICK DRYING LOW PROFILE SCRAPER MAT

- Easy to clean.
- Light to medium traffic applications.
- Little to no drying time needed.



| | |
|----------------------|-------------------------------------|
| construction | Vinyl coated nylon loops |
| face style | Vinyl, nylon |
| face material | PVC coated nylon |
| backing | (PVC) Vinyl |
| edging | Factory (add on available) |
| thickness | 3/8 in. (9.5 mm.) |
| total weight | 3.38 kg./sq. m. (0.69 lbs./sq. ft.) |
| warranty | 1 year |


| size | part code |
|--|--------------------|
| 3 ft. (0.9 m.) Roll*/cut | PLPCC0300 |
| 4 ft. (1.2 m.) Roll*/cut | PLPCC0400 |
| *Roll length 60 ft. (18.3 m.) +/- (Custom sizes available) | |
| | CC = Colour number |

Scrapper Mat



LOW PROFILE RUBBER SCRAPER – GREAT FOR OUTDOOR USE

- Low maintenance.
- Little to no drying time needed.
- Durable.
- Easy to handle (lightweight).
- Medium to heavy traffic applications.



| | |
|-----------------------|---------------------|
| construction | Natural rubber |
| face style | Scraper bars |
| edging | Integrated |
| thickness | 1/4 in. (6.5 mm) |
| total weight | 7.7 kg. (16.9 lbs.) |
| warranty | 3 year |
| recycled content: 22% | |

| size | part code |
|---------------------------------|-----------|
| 3 ft. (0.9 m.) x 5 ft. (1.5 m.) | SLM220305 |

light traffic

Light traffic matting is ideal for small offices, warehouses and retail locations as well as light-use entrances in large facilities.

For 100,000 or less users per year, these mats are less aggressive and less durable than matting solutions designed for heavier traffic.

3M™ Nomad™ Carpet Matting 5000

ATTRACTIVE AND AFFORDABLE PROTECTION FOR YOUR BUILDING'S ENTRANCES - AN EXCELLENT ALL PURPOSE MAT

- Perfect for the interior of facility entrances.
- Attractive design scrapes dirt and removes water.
- Will not stain the floor by preventing dirt and moisture from falling through mat to the floor.



| rolls | part code |
|--------------------------|-------------|
| 3 ft. (0.9 m.) Roll*/cut | 3M500CC0300 |
| 4 ft. (1.2 m.) Roll*/cut | 3M500CC0400 |
| 6 ft. (1.8 m.) Roll*/cut | 3M500CC0600 |

*Roll length 60 ft. (18.2 m.) +/- CC = Colour number (Custom sizes and edging program available)

| | |
|----------------------|-------------------------------------|
| construction | Tufted loop pile |
| face style | Cross rib |
| face material | Polypropylene |
| backing | Vinyl |
| edging | Factory (add on available) |
| thickness | 5/16 in. (8 mm.) |
| total weight | 2.88 kg./sq. m. (0.59 lbs./sq. ft.) |
| warranty | 1 year |



Herringbone


ADDS A DYNAMIC LOOK TO AN EXCELLENT WIPER/SCRAPER MAT

- Great for light to medium traffic areas.



| | |
|----------------------|-------------------------------------|
| construction | Needlepunch loop pile, dual fibre |
| face style | Chevron |
| face material | 75% Polypropylene, 25% PET |
| backing | Vinyl (PVC) |
| edging | Factory (add on available) |
| thickness | 1/4 in. (6.5 mm.) |
| total weight | 2.98 kg./sq. m. (0.61 lbs./sq. ft.) |
| warranty | 1 year |

recycled content: 5%



| size | part code |
|----------------------------------|-----------|
| 3 ft. (0.9 m.) x 4 ft. (1.2 m.) | HBNCC0304 |
| 3 ft. (0.9 m.) x 5 ft. (1.5 m.) | HBNCC0305 |
| 3 ft. (0.9 m.) x 6 ft. (1.8 m.) | HBNCC0306 |
| 3 ft. (0.9 m.) x 10 ft. (3.0 m.) | HBNCC0310 |
| 4 ft. (1.2 m.) x 6 ft. (1.8 m.) | HBNCC0406 |
| 4 ft. (1.2 m.) x 8 ft. (2.4 m.) | HBNCC0408 |
| 4 ft. (1.2 m.) x 10 ft. (3.0 m.) | HBNCC0410 |

| rolls | part code |
|--------------------------|-----------|
| 3 ft. (0.9 m.) Roll*/cut | HBNCC0300 |
| 4 ft. (1.2 m.) Roll*/cut | HBNCC0400 |
| 6 ft. (1.8 m.) Roll*/cut | HBNCC0600 |

*Roll length 60 ft. (18.2 m.) +/- CC = Colour number (Custom sizes and edging program available)

Style Point™



THE ELEGANT LOOK OF BERBER WITH MULTIDIRECTIONAL WIPER/SCRAPER EFFECTIVENESS

- Great for light to medium traffic areas.



| size | part code |
|----------------------------------|-----------|
| 3 ft. (0.9 m.) x 4 ft. (1.2 m.) | STPCC0304 |
| 3 ft. (0.9 m.) x 5 ft. (1.5 m.) | STPCC0305 |
| 3 ft. (0.9 m.) x 6 ft. (1.8 m.) | STPCC0306 |
| 3 ft. (0.9 m.) x 10 ft. (3.0 m.) | STPCC0310 |
| 4 ft. (1.2 m.) x 6 ft. (1.8 m.) | STPCC0406 |
| 4 ft. (1.2 m.) x 8 ft. (2.4 m.) | STPCC0408 |
| 4 ft. (1.2 m.) x 10 ft. (3.0 m.) | STPCC0410 |

| rolls | part code |
|--------------------------|-----------|
| 3 ft. (0.9 m.) Roll*/cut | STPCC0300 |
| 4 ft. (1.2 m.) Roll*/cut | STPCC0400 |
| 6 ft. (1.8 m.) Roll*/cut | STPCC0600 |

*Roll length 60 ft. (18.2 m.) +/- CC = Colour number (Custom sizes and edging program available)

| | |
|----------------------|-------------------------------------|
| construction | Needlepunch loop pile, dual fibre |
| face style | Berber (hobnail) |
| face material | 75% Polypropylene, 25% PET |
| backing | Vinyl |
| edging | Factory (add on available) |
| thickness | 1/4 in. (6.5 mm.) |
| total weight | 2.98 kg./sq. m. (0.61 lbs./sq. ft.) |
| warranty | 1 year |

recycled content: 5%

Twin Rib

NEEDLEPUNCH TOUGHNESS WITH A CLASSIC LINEAR RIB DESIGN

- Great for light to medium traffic areas.



| | |
|---------------------|-------------------------------------|
| construction | Needlepunch |
| face style | Twin rib |
| backing | Vinyl |
| edging | Factory (add on available) |
| face weight | 610 g./sq. m. (18 oz./sq. yd.) |
| thickness | 5/16 in. (8 mm.) |
| total weight | 3.42 kg./sq. m. (0.70 lbs./sq. ft.) |
| warranty | 1 year |



| size | part code |
|----------------------------------|-----------|
| 3 ft. (0.9 m.) x 4 ft. (1.2 m.) | TWRCC0304 |
| 3 ft. (0.9 m.) x 5 ft. (1.5 m.) | TWRCC0305 |
| 3 ft. (0.9 m.) x 6 ft. (1.8 m.) | TWRCC0306 |
| 3 ft. (0.9 m.) x 10 ft. (3.0 m.) | TWRCC0310 |
| 4 ft. (1.2 m.) x 6 ft. (1.8 m.) | TWRCC0406 |
| 4 ft. (1.2 m.) x 8 ft. (2.4 m.) | TWRCC0408 |
| 4 ft. (1.2 m.) x 10 ft. (3.0 m.) | TWRCC0410 |

| rolls | part code |
|--------------------------|-----------|
| 3 ft. (0.9 m.) Roll*/cut | TWRCC0300 |
| 4 ft. (1.2 m.) Roll*/cut | TWRCC0400 |
| 6 ft. (1.8 m.) Roll*/cut | TWRCC0600 |

*Roll length 60 ft. (18.2 m.) +/- CC = Colour number (Custom sizes and edging program available)

Poly-Tuft™

SOLID VALUE IN A CUT PILE WIPER MAT, EXCELLENT YEAR-ROUND

- Borders available.
- Great for areas where door clearance is a concern.
- Traps fine particles effectively.
- Easy to clean and maintain.
- Cost effective.

| | |
|----------------------|-------------------------------------|
| construction | Tufted |
| face style | Cut pile |
| face material | Polypropylene |
| face weight | 510 g./sq. m. (15 oz./sq. yd.) |
| backing | (PVC) Vinyl |
| edging | Factory (add on available) |
| thickness | 5/16 in. (8 mm.) |
| total weight | 3.42 kg./sq. m. (0.70 lbs./sq. ft.) |
| warranty | 1 year |



| size | part code |
|----------------------------------|--------------------|
| 2 ft. (0.6 m.) x 3 ft. (0.9 m.) | PTF CC 0203 |
| 3 ft. (0.9 m.) x 4 ft. (1.2 m.) | PTF CC 0304 |
| 3 ft. (0.9 m.) x 5 ft. (1.5 m.) | PTF CC 0305 |
| 3 ft. (0.9 m.) x 6 ft. (1.8 m.) | PTF CC 0306 |
| 3 ft. (0.9 m.) x 10 ft. (3.0 m.) | PTF CC 0310 |
| 4 ft. (1.2 m.) x 6 ft. (1.8 m.) | PTF CC 0406 |
| 4 ft. (1.2 m.) x 8 ft. (2.4 m.) | PTF CC 0408 |
| 4 ft. (1.2 m.) x 10 ft. (3.0 m.) | PTF CC 0410 |
| rolls | part code |
| 3 ft. (0.9 m.) Roll*/cut | PTF CC 0300 |
| 4 ft. (1.2 m.) Roll*/cut | PTF CC 0400 |
| 6 ft. (1.8 m.) Roll*/cut | PTF CC 0600 |

*Roll length 60 ft. (18.2 m.) +/- **CC** = Colour number (Custom sizes and edging program available)

Micro-Tuft

LOW PROFILE WIPER MAT

- Cost effective wiper mat for removing light moisture and dust.
- Attractive clean look.
- Great for areas where door clearance is a concern.
- Traps fine particles effectively.
- Easy to clean and maintain.
- Cost effective.

| | |
|---------------------|-------------------------------------|
| construction | Tufted cut pile |
| face style | Level cut pile |
| backing | Vinyl (PVC) |
| edging | Factory |
| face weight | 350 g./sq. m. (10 oz./sq. yd.) |
| thickness | 3/16 in. (5 mm.) |
| total weight | 2.42 kg./sq. m. (0.50 lbs./sq. ft.) |
| warranty | 1 year |



| size | part code |
|---------------------------------|-----------|
| 3 ft. (0.9 m.) Roll* | MTF200300 |
| 3 ft. (0.9 m.) x 5 ft. (1.5 m.) | MTF200305 |
| 4 ft. (1.2 m.) x 6 ft. (1.8 m.) | MTF200406 |

*Roll length 60 ft. (18 m.) +/-

The descriptions for each product in this catalogue are based on information provided by manufacturers and, to our knowledge, are accurate and factual at the time of printing. There may be some minor variations between the pictures in the catalogue and the products sold.





edmonton

18120 109 Ave. NW
Edmonton, AB
T5S 2K2

T : 780.466.2084
F : 780.468.9104

vancouver

Unit 512
19100 Airport Way
Pitt Meadows, BC
V3Y 0E2

T : 604.465.4467
F : 604.465.4400

toronto

45 Armthorpe Road
Brampton, Ontario
L6T 5M4

T : 905.793.1084
F : 905.793.8504

inquiries@edgewoodgroup.ca
canada-wide toll free: 1.800.668.1776